

SINGLE SOURCE CERTIFICATION

Authority is requested to make the following purchase under the provision of USF System Regulation USF4.02010(IV)(A)(2)(b) as a non-competitive purchase available from only one source. By submitting this form, department acknowledges that existing <u>exemptions</u> will not apply to this purchase. Single source requests exceeding \$75,000 must be signed by a Procurement Director and posted publicly for (3) business days.

\$75,000 must be signed by a Procurement DATE: 02/22/2023	Director and posted publicly for (3) business days.	
ITEM(s): Sorinex Power Racks and acc	cessory equipment	
PRICE: \$366,024.66	FUND #:	
SUPPLIER ID:		
SUPPLIER NAME: Sorinex Exercise Equipm		
FEDERAL GRANT: OY N		
In your words, describe the equipment, commodity are essential to the accomplishment of your work:	y, or contractual service. Explain how these specific	ation
that manufactures strength equipment for a professional teams. They have multiple pat purchase (BullDog Pad, Adjustable Jamme	tented items, 5 of which we are looking to	
In your own words, describe the reason(s) the item how the stated specification(s) restrict the requisiti features/compatibility/specifications/availability/d	ion to only one supplier. Description may include ι	unique
athletes at the highest level. Their ability to customize ever essential, as we have a smaller and narrower facility than continuity within all 3 weight rooms in athletics, for inventor	nanufacture that makes those items in which we need to tracery piece of equipment to fit the smaller size of our room is a the average D-1 university. We would also like to have ory and maintenance needs. Continuity would also help with applied in any room in athletics, as we have multiple teams	th our
In your own words, describe the due diligence cond Description SHOULD list all other suppliers with iteridentify other suppliers, and why these suppliers w	m(s)/service(s) with similar functions, your efforts	to
PLAE can customize each rack, within patent limits, longer and they have less flexibility on install dates.	ors, Rogue and PLAE. Due to the patents held by of the items we need on each rack. Both Rogue and , but the manufacturing time with them is significantly We also want continuity of manufacturer/equipment oom we have with different brands/types of equipment	/ t in
	START 3/2/2023 END 3/7/2023	
Approved By (Procurement) DATE Authority: USF4.02010(IV)(A)(2)(b)	PUBLIC POSTING DATES Last Modified: 05/10/2021	_